NEW REPORTS OF THREE ENDANGERED SPECIES OF CENTAUREA (SECT. CYNAROIDEAE, ASTERACEAE) FROM IRAN

A. Ghahreman & F. Attar

Ghahreman, A. & Attar, F., 2000 08 01: New reports of three endangered species of *Centaurea* (Sect. *Cynaroideae, Asteraceae*) from Iran. *-Iran. Journ. Bot. 8* (2): 299-302. Tehran.

Centaurea gigantea is a new to the flora of Iran. Discription of Centaurea phlomoides is completed. Also Centaurea regia and C. phlomoides is reported as rare plants from West of Iran. Geographical distribution of species are shown.

Ahmad Ghahreman & Farideh Attar, Central Herbarium of Tehran University, Department of Botany, Faculty of Sciences, Tehran, Iran.

Key words. Centaurea, Asteraceae, Iran.

گزارشی از سه گونه گل گندم (بخش Centaurea, sect. Cynaroideae) از ایران

احمد قهرمان و فريده عطار

گونه Centaurea gigantea از بخش Cynaroideae به عنوان گزارشی جدید از جنوب غرب ایران معرفی و شرح گونه دیگری از این بخش به نام Centaurea (اندمیک ایران) تکمیل می گردد. گونه اخیر و گونه شاه و که قبلاً و که قبلاً به ترتیب توسط هاوسکنخت و اشتراوس جمع آوری شده اند، بازیابی شده، گزارش می شوند. هر سه گونه ذکر شده، از گیاهان نادر ایران هستند و پراکنش آنها منحصر به نواحی محدود در غرب و جنوب غربی است.

Introduction

Based on Wagenitz (1975) research work on Flora Iranica, genus *Centaurea* consists 86 species (including 23 sections) of which 76 are found in Iran. Of this number 32 are endemic species in Iran.

In the course of our research and recent collecting activities in West and Southwest of Iran, we identified 3 interesting Centaurea species from the Cynaroides section. The first one is C. gigantea which has been reported from Iraq (Mousel, Arbil, Suleimanieh, Karkuk and Gharadagh) and Turkey (Hakari region). Our collection of this species in Lorestan province extends its distribution.

The other species is *C. phlomoides* with the geographic distribution confined to a small area around Paveh. It is an endemic of Iran and very likely an endangered species. The description in Flora Iranica (Wagenitz 1980) was based on immature capitulum, and therefore it is completed here.

C. regia is another species with a wider geographic distribution extending from West of Iran to Iraq (region of Musel, Arbil, Karkuk and Soleymanieh) and Turkey. The distribution of this species in Iran is very limited. We collected the

species in Ravansar in Kermanshah province in 1998, but failed to collect it again in 1999. It is very likely that this species is being seriously threatened by extinction.

Centaurea gigantea Schultz-Bip. ex Boiss., Fl. Or. 3: 672 (1875).

Lorestan: between Khorramabad and Sepid-Dasht, 50 km to Sepid-Dasht, 1500 m, Ghahreman & Attar 21840 (TUH).

Habitat. Dry stony plains and margin of fields.

A new record to Iran. Its general distribution is in Iraq, SW Anatoli and Iran.

Centaurea phlomoides Boiss. & Hausskn. in Boiss., Fl. Or. 3: 673 (1875), descr. compl.


Flores lutei, vix radiantes, laciniis filiformis. Achaenia 9 mm longa, 4-4.5 mm lata, straminea, pilosa; hila lateralia; pappus usque ad 2.5 mm longus, e setis scabris, series intima et externa a ceteris brevior.

Endemic to Iran.

Kermanshah: Paveh, road of Bayangan, 1350 m, Ghahreman & Attar 22588 (TUH); Kermanshah: Paveh, road of Bayangan, 1350m, Attar & Mirtazodini



Fig 1. Centaurea phlomoides (x0.6).



Map. 1. Distribution of Centaurea species. C. phlomoides *; C. regia ● ; C. gieguntea ■

19857 (TUH).

Habitat. stony hills.

This species was gathered once by Haussknecht about 130 years ago on the Avroman mountains in West of Iran.

Centaurea regia Boiss., Diagn. Pl. Or. Nov. Ser. 1, 6: 135 (1845).

subsp. regia

Kermanshah: between Kermanshah and Ravansar, 5 km to Ravansar, 1700 m, Ghahreman and Attar, 20565 (TUH).

Habitat. margin of fields.

This species was once collected by Strausse on the Shahu mountains

(Kermanshah province) in Iran. General distribution of species is in West of Iran and Iraq.

Acknowledgment

Thanks are due to Mr. M. Mirtazodini for preparing the illustration.

References

Wagenitz, G. 1975: Centaurea in P. H. Davis Flora of Turkey and the East Aegean Islands, vol. 5. -Edinburgh.

- 1980: Centaurea in K. H. Rechinger, Fl. Iranica, no. 139B. -Graz.