CYPERUS IMBRICATUS (CYPERACEAE), A NEW RECORD FOR IRAN

M. Amini Rad

Amini Rad, M. 2002 12 30: Cyperus imbricatus (Cyperaceae), a new record for Iran. -Iran. Journ. Bot. 9(2): 257-259. Tehran.

Cyperus imbricatus Retz. Collected in Astara (Gilan province) is reported as a new record from Iran.

Mohammad Amini Rad, Department of Botany, Plant Pests and Diseases Research Institute, P. O. Box 19395-1454, Tehran, Iran.

Key words. Cyperus, Cyperaceae, Iran.

گزارش Cyperus imbricatus به عنوان گونهای جدید برای ایران

محمد امینی راد

گونه Cyperus imbricatus که از آستارا (گیلان) توسط دلفندی جمعآوری گردیده بود، به عنوان گونه جدید برای ایران معرفی می شود.

Introduction

Revising the IRAN herbarium specimens of *Cyperaceae* family in Iran, a *Cyperus* specimen was identified as *C. imbricatus* Retz., which is reported as a new record for the flora of Iran. All Cyperaceous specimens were also seen in the TARI herbarium.

Cyperus imbricatus Retz.

Gilan: Astara, 11 October 1991, Delghandi (IRAN-33212).

Perennial. Stem trigonous, smooth, lower edges obtuse. Leaves shorter than or equal to the stem. Inflorescence ca. 5 cm, a conical or rounded anthelodium, 4 or 5 lowermost bracts leaf like, 23 cm long; tubular prophyll ca. 10 mm long; cluster of spikes 20×4 mm, with ca. 50 closely imbricating spikes; spikes completely hiding the rachis 5×1.5 mm; glume-like bract 0.8 mm, bi-nerved; glume-

like prophyll 0.6 mm; rachis 0.3 mm wide; internodes 0.25 mm long; glumes 1.7 mm long, reddish brown, with widely scarious margin. Nut 0.6×0.35 mm, ellipsoid, obtusly trigonous, yellow, very finely reticulate (Fig. 1).

This species was recognized in Flora Iranica only from Afghanistan, and considered as a pantropical species (Kukkonen 1998).

Acknowledgements

Thanks are due to Dr. Ilkka Kukkonen for confirming the identification and Mr. M. Mehranfard for drawing of the sample.

Reference

Kukkonen, I. 1998: Cyperaceae in K. H. Rechinger (ed.), Flora Iranica, no. 173. -Graz.




Fig. 1. Cyperus imbricatus