

نامه انجمن حشره شناسان ایران

جلد سوم (شماره ۱ و ۲) - اسفند ۱۳۵۴

فهرستی از حشرات استان فارس (۱)

نگارش : ه. میرزا یانس * - ع. هاشمی * - ه. برومند * - م. زعیری * و غ. رجبی **

از سال ۱۳۲۴ خورشیدی تا سال ۱۳۵۰ خورشیدی تعدادی حشره از استان فارس جمع آوری و تشخیص داده شده که در کلکسیون بخش طبقه بندی حشرات مؤسسه بررسی آفات و بیماریهای گیاهی اوین نگهداری می شود. این فهرست از پنج بخش تشکیل شده بشرح زیر :

بخش ۱ - فهرستی از زنجره های (*Auchenorrhyncha (Homoptera)*) استان فارس - نگارش مهندس هایک میرزا یانس - شامل ۳۶ جنس ، ۹۰ گونه بیشاد و در میان آنها یک *Holotypus* ، یک *Allotypus* و هفت *Paratypus* وجود دارد . در چمع آوری حشرات مزبور آقایان زیر شرکت نموده اند : میرزا یانس - *Dlabola* - کشکولی - عبانی - پازوکی - صفوی - قریب - مجیب - کلالی - زعیری - هاشمی - Ebert - حقیقی - برومند - قوامی - ترمیه . ایرانشهر (فهرست کامل در متنه انگلیسی)

بخش ۲ - فهرستی از راست بالان (*Orthopteroidea*) استان فارس - نگارش مهندس عباس هاشمی - شامل ۷۶ جنس ، ۱۱۹ گونه ، ۲۱ زیر گونه و ۲ فرم و آبراسیون می باشد و در میان آنها یک *Paratypus* نیز وجود دارد . حشرات

* - بخش طبقه بندی حشرات در مؤسسه بررسی آفات و بیماریهای گیاهی اوین (تهران)

** - بخش بررسی آفات اشجار در مؤسسه بررسی آفات و بیماریهای گیاهی اوین (تهران)

مزبور بوسیله آقایان : کشکولی - آگاه - مجیب - کلالی - پازوکی - عبانی -
برومند - میرزا یانس - Morales - Remaudière - Alexandrov - فرج بخش - ایرانشهر -
قوامی - زمردی - صفوی - هاشمی - زعیری - حقیقی - ملک عابدی - شرفه -
ایزد خواست و قریب جمع آوری گردیده است، (فهرست کامل Ebert - Descamps
در متن انگلیسی)

بخش ۳ - فهرستی از سوسکهای سرخرطومی (*Curculionidae*) استان فارس -
نگارش مهندس هوشنگ برومند - شامل ۲۲ جنس ، ۳۶ گونه و یک واریته
میباشد . حشرات مزبور بوسیله آقایان : کشکولی - قوامی - برومند - زعیری -
هاشمی - مجیب - کلالی - عبانی - پازوکی - زمردی - رجبی - میرزا یانس و قریب
جمع آوری گردیده است (فهرست کامل در متن انگلیسی)

بخش ۴ - فهرستی از سوسکهای *Scarabaeidae* استان فارس - نگارش
مهندس مصطفی زعیری - شامل ۳۳ جنس ، ۷۴ گونه ، ۶ زیر گونه و ۶
آبراسیون میباشد و در میان حشرات مزبور سه Paratype نیز وجود دارد .
سوسکهای مزبور بوسیله آقایان : میرزا یانس - کشکولی - برومند - زعیری -
هاشمی - عبانی - پازوکی - صفوی - رجبی - مجیب و کلالی جمع آوری گردیده .
(فهرست کامل در متن انگلیسی)

بخش ۵ - فهرستی از سوسکهای *Buprestidae* استان فارس - نگارش
دکتر خلامرضا رجبی - شامل ۴۱ جنس ، ۳۵ گونه ، ۷ زیر گونه و ۴ واریته
میباشد و بوسیله آقایان : الکساندروف - میرزا یانس - رجبی - کشکولی - هاشمی -
زعیری - ترمه - قریب - مجیب - تقیزاده - اقلیدی - فرج بخش و برومند جمع آوری
گردیده است (فهرست کامل در متن انگلیسی) .

INSECT FAUNA FROM PROVINCE OF FARS (IRAN) (I)

By: H. MIRZAYANS, A. HASHEMI, H. BORUMAND,
M. ZAIRI and GH. RAJABI*

PREFACE

Since 1945, we have collected a lot of insects in province of Fars, and all the specimens are in the collections of Department of Taxonomy, Plant Pests & Diseases Research Institute (Evin, Tehran).

In the present paper there are five parts as follow:

PART 1- List of *Auchenorrhyncha (Homoptera)* from province of Fars, by: Hayk Mirzayans, including 36 genus and 59 species collected by: Mirzayans, Dlabola, Kashkuli, Abai, Pazuki, Safavi, Gharib, Mojib, Kalali, Zairi, Hashemi, Ebert, Haghghi, Borumand, Ghavami, Termeh and Iranshahr. Identification of specimens by: Dr. J. Dlabola.

PART 2- List of *Orthopteroidea* from province of Fars, by: Abbas Hashemi, including 76 genus, 119 species, 21 subspecies, 1 form and 1 aberration collected by: Kashkuli, Agah, Mojib, Kalali, Pazuki, Abai, Borumand, Mirzayans, Alexandrov, Remaudière, Morales, Farahbakhsh, Termeh, Iranshahr, Ghavami, Zomorodi, Safavi, Hashemi, Zairi, Haghghi, Malek-abedi, Sharaseh, Descamps, Ebert, and Gharib. Identification of specimens mostly by Alexandrov, Mirzayans and some by Morales, Descamps, Popov, Uvarov, Dirsh, Bey-Bienko and Shumakov.

PART 3- List of *Curculionidae* from province of Fars, by: Hushang Borumand, including 22 genus, 36 species and 1 variety collected by: Kashkuli, Ghavami, Borumand, Zairi, Hashemi, Mojib, Kalali, Abai, Pazuki, Zomorodi, Rajabi, Mirzayans and Gharib. Identification of specimens by: Borumand, Thompson, Lodos, Rivnay, Voss, Ferrago and Ter-Minassian.

PART 4- List of *Scarabaeidae* from province of Fars, by: Mostafa Zairi, including 33 genus, 74 species, 6 subspecies and 6 aberration collected by: Mirzayans, Kashkuli, Borumand, Zairi, Hashemi, Abai, Pazuki, Safavi, Rajabi, Mojib, Kalali, Petrovitz, Eghlidi and Alexandrov. Identification of specimens by: Alexandrov, Bogatchev, Mirzayans, Petrovitz and Endrodi.

PART 5- List of *Buprestidae* from province of Fars, by: Gholamreza Rajabi, including 14 genus, 35 species, 7 subspecies and 4 varietis collected by: Mirzayans, Alexandrov, Eghlidi, Rajabi, Kashkuli, Hashemi, Zairi, Termeh, Gharib, Mojib, Taghizadeh, Farahbakhsh and Borumand. Identification by: Bogatchev, Obenberger, Salavatian, Rajabi, Alexandrov, Descarpentries.

(*) Plant Pests & Diseases Research Institute, P.O. Box 3178, Tehran-IRAN

Part 1.

**LIST OF AUCHEGORRHYNCHA (HOMOPTERA) FROM PROVINCE
OF FARS(1)**

By: H. MIRZAYANS (*)

CIXIIDAE

Oliarus concolor Fieb.

(= *Oliarus bitinctus* Dlab.)

Shiraz: Geshnian VI. 73

DELPHACIDAE

Laodelphax striatella Fall.

Shiraz X. 67, Jahranabad X. 73

DICTYOPHARIDAE

Dictyophara europaea L.

Jahrom IX. 71

Dictyophara hoherlandti Dlab.

Shiraz: Kamfiruz 1900 m. IX. 74

Dictyophara exoptata Dlab. et Heller

Kazerun VII. 70, Dashte-arjan VI. 73

TETTIGOMETRIDAE

Tettigometra vitellina Fieb.

Shiraz: Saadatabad VII. 70 - Kazerun: Dashte-arjan VII. 70

Tettigometra sulfurea Muls. et Rey

Kazerun: Gavkoshak VI. 75

FLATIDAE

Perspolia columbaria Dlab. et Safavi

Kazerun 5-6.7. 1970 (Paratype),

Mesophantia pallens Mel.

Nurabad 40 Km - Yasuj IX. 74

RICANIIDAE

Ricania hedenborgi Stal

Fasā: Sarvestan VI. 73

CICADIDAE

Tibicen esfandiarii Dlab.

Firuzabād VI. 72, Javarg VII. 67 -
Shiraz VII. 64, VI. 72, Beyzā;
Tange-tir V. 66- Yasuj: Sisakht
VII. 49

Chloropsalta smargdula Haupt

Firuzabād: Sargar V. 57

Chloropsalta viridiflava (Distant)

Fasā VI. 70

Psalmocharias alhageos (Kol.)

Firuzabād VI. 72, Mehkuh VII. 71 -
Fasā VII. 65 - Jahrom VII. 49 -
Kazerun: Dashte-arjan VI. 70

(*) Plant Pests & Diseases Research Institute, P.O. Box 3178, Tehran-IRAN

Psalmocharias flava (Dlab.)

Firuzābād VI.-VII. 72, VI. 66, VII. 67, Javarg VII. 67 - Ardekān: Kākān VI. 67, Tange-sorkh 2250m. VI. 72- Firuzābād : Farrāshband; Juytorki VI. 66

Psalmocharias querula Pall.

Yāsuj VI. 70- Firuzābād; Sargar V. 57 - Shirāz VII. 49

Cicadatra hyalina (Fabr.)

Kāzerun: Lake Parishan VI. 66, VI.-VII. 72 - Yāsuj 2100 m. VI. 70 - Neyriz: Lake Bakhtegān VII. 70

Cicadatra kermanica Dlab.

Kāzerun: Khesht III. 50

Cicadatra vulcania Dlab.

Firuzābād: Mehkuh VII. 71- Neyriz : Khorāmeh; Khāneh-ket VII. 49 - Fasā VII. 64

Cicadatra zahedanica Dlab.

Firuzābād: Sargar V. 57

Paharia putoni (Dist.)

Ardekān: Kākān 2800 m. VI. 70

Melampsalta (= *Cicadetta*) *caspica* Kol.

Kāzerun: Dashte-arjan VI. 73

Melampsalta (= *Cicadetta*) *musiva* (Germ.)

Firuzābād: Chāh-kāzemeyn IV. 51- Fasā VII. 70 - Kāzerun V. 53 - Estahbānāt VI. 46 - Jahrom: Bānāruyeh VI. 66 - Neyriz (Lake Bakhtegān) VII. 70.

CERCOPIDAE

Poophilus nebulosus Leth.

Shirāz: Bājgāh VII. 70 - Firuzābād; Mehkuh VI. 71

CICADELLIDAE

Austroagallia sinuata (Muls. et Rey)

Kāzerun: Mamasani VII. 68

Agallia firdausica Dlab.

Kāzerun: Mamasani IX. 71

Agallia ribauti Oss.

Kāzerun: Mamasani IX. 71 - Firuzābād: Kavār VI. 68

Idiocerus alkani Wgr.

Kāzerun: Nurābād 40 Km. Yāsuj IX. 74

Acericerus jahromicus Dlab.

Jahrom VII. 70 (Paratype)

Batractomorphus irroratus Lewis

Yāsuj: Sisakht 2200 m. IX. 74

Iassus scutellaris (Fieb.)

Shirāz: Kāmfiruz 1900 m. IX. 74 - Yāsuj: Sisakht 2200 m, IX. 74

Hecalus glaucescens (Fieb.)

Kāzerun: Gāvkoshak VI. 75

Stegelytra sororcula Muls. et Rey

Kāzerun 5-6.7. 1970 (Paratype), V.

Alebra albostriella Fall.

70, Gāvkoshak VI. 75 - Shirāz:

Empoasca decipiens Paoli

Kāmfiruz 1900 m. IX. 74 - Yāsuj:

Zygina krueperi Fieb.

Sisakht 2200 m. IX. 74

Goniagnathus brevis H.-S.

Kāzerun: Gāvkoshak VI. 75

Shirāz: VII.- X.67

Kāzerun: Gāvkoshak VI.-VII. 75

Yāsuj: Nurābād 40 Km, Yāsuj IX.74

<i>Neoaliturus fenestratus</i> (H.-S.)	Shiraz VI. 68- Kazerun: Mamasani IX. 71
<i>Neoaliturus haematoceps</i> M.R.	Shiraz X. 67
<i>Neoaliturus tenellus</i> (Baker)	Shiraz: Marvadsht X. 68
<i>Macrosteles laevis</i> (Ribaut)	Shiraz VI. 68, X. 67, Barizabad VIII. 73
<i>Parafieberiella olivacea</i> Dlab.	Kazerun VII. 70 (Paratype)
<i>Exitianus fasciolatus</i> Mel. (= <i>vulnerans</i> Berg.)	Shiraz V. 68 - Kazerun: Mamasani IX. 71
<i>Platymetopius enatus</i> Dlab.	Estahbanat VII. 70 (Paratype) - Yasuj: Sisakht IX. 71, Nurabad IX. 74
<i>Platymetopius shirazicus</i> Dlab.	Shiraz: Kamfiruz 1900 m. IX. 74
<i>Platymetopius jasudicus</i> Dlab.	Nurabad 40 Km. Yasuj IX. 74 (Al- lotypus, Holotypus, Paratype), Yasuj: Sisakht IX. 71 (Paratype)
<i>Platymetopius distinctus</i> Mel.	Shiraz: Saadatabad VII. 70
<i>Platymetopius exalbescens</i> Dlab.	Yasuj: Nurabad IX. 74
<i>Platymetopius obsoletus</i> Sign.	Yasuj: Nurabad IX. 74 - Shiraz: Kamfiruz 1900 m. IX. 74
<i>Platymetopius cruentatus</i> Haupt	Kazerun: Mamasani IX. 71
<i>Platymetopius (Quernus</i> Dlab.) <i>viridinervis</i> Sign.	Shiraz: Kamfiruz 1900 m. IX. 74
<i>Phlepsioides intricatus</i> H.-S.	Kazerun: Mamasani IX. 71
<i>Selenocephalus darei</i> Dlab.	Kazerun: 30 Km. E., 1300 m. VI. 73 (Paratype)
<i>Selenocephalus lyrosicus</i> Dlab.	Kazerun: 30 Km. E., 1300 m. VI. 73
<i>Selenocephalus pallidus</i> Kbm.	Kazerun VII. 70 - Dehbid VI. 67
<i>Paramesus major</i> Haupt	Shiraz; Kushkak VII. 73
<i>Psammotettix alienus</i> (Dahl.)	Shiraz VI. 68, Kushkak VII. 73
<i>Psammotettix striatus</i> (L.)	Shiraz X. 67

Part. 2

LIST OF ORTHOPTEROIDEA FROM PROVINCE
OF FARS (1)

By: A. HASHEMI *

ORTHOPTERA

ACRIDOIDEA

Saxetania aelleni Dirsh.

Shirâz: Beyzâ V. 52

Saxetania dehbidi Dirsh.

Dehbid VII. 49

Saxetania edentulum Uv.

Shirâz: Beyzâ V. 52, Bâjgâh VI. 68-
Firuzâbâd: Rudbâl IV. 53 - Jah-
rom VI. 67

Saxetania escalerae I. Bol.

Firuzâbâd IV. 51

Saxetania marginatum I. Bol.

Ardekân: Kâkân VIII. 49, VI. 53,
VII. 64 VI. 67, Komehr VIII. 49,
Sibkhala VI. 67, VI. 63 - Yâsuj:
Sisakht; Gardanch-Bijan VIII. 49-
Firuzâbâd: Bâygun V. 51, Far-
rashband VI. 68 - Shirâz: Beyzâ
IV, V. 52 - Abâdeh: Didegân 1900
m, VI. 72, Eghlid VI. 69 - Kâzerun:
Mamasani V. 51, Dashte-ar jan
VI. 68, Zanganeh; Bonrud 2200-
2500 m VI. 68.

Eremopeza cinerascens virescens Uv.

Shirâz: Beyzâ VI. 52.

Eremopeza gibbera reducta Uv.

Firuzâbâd : Farrâshband V. 69, VI.
68, IV. 73, Juytorki VI. 66, Ghir-
Kârezin VI. 68 - Kâzerun: Jereh;
Dashte-shur IV. 73, Dâdin V. 53 -
Jahrom VII. 49- Dârâb IV. 52 -
Parishân (Lake) VI. 66

Eremopeza gibbera angusta Uv.

Shirâz III. 45 - Fasâ VII. 50

Eremopeza gibbera lata (Uv.)

Shirâz III. 45

Eremopeza saussurei saussurei Uv.

Shirâz IV, V. 46

Eremopeza saussurei violacea Uv.

Shirâz IV, V. 46: Beyzâ VII. 67,

* Pant Pests & Diseases Research Institute, P.O. Box 3178, Tehran - IRAN.

- Dericorys tibialis* Pall.
Dericorys uvarovi iranica Mistsh.
Dericorys annulata Fieb.
Dinaria mirzayani Pop.
- Paraconophyma nana* Pop.
- Paraconophyma pusilla* B.-Bienko
Wiltshirella fusiformis Pop.
Tropidopola cylindrica Marsh.
Lyrotylus kermanicus Shum.
- Lyrotylus persicus* Uv.
- Esfandiaria obesa* Pop.
- Anacridium aegyptium* L.
Catantops axillaris Thunb.
Calliptamus barbarus cephalotes F.-W.
- Arsanjān, Khafrak V. 48 - Firuzābād: Sargar V. 52, Javarg VII. 67 - Ardekān VII. 64, Kākān 2300 m, VII. 64, Komehr; Sibkhalaç VIII. 63, Esfān VI. 63 - Kāzerun: Dashte-arjan VII. 64 - Yāsuj VIII. 49
- Neyriz: Khorāmeh; Khāneh-ket VII. 49
- Ābādeh VII. 55 - Firuzābād: Farāshband; Sarmashad VI. 65
- Shirāz: Beyzā V. 52
- Ardekān: Sibkhalaç; Esfān VI. 63, VI. 62, VI. 67, Kākān VII. 49, VIII. 66-Yāsuj VIII. 66, VII. 49, X. 67: Sangmang VIII. 66
- Ardekān: Komehr; Sibkhalaç VI. 67, VI. 63, Esfān VI. 63, VI. 67: Kākān VII. 65 - Yāsuj: Sangmang VII. 49, VIII. 66 - Kāzerun: Dashte-arjan; Bonrud, Chehelcheshme (Zangiān) 2300 m VI. 63
- Yāsuj: Sang-mang VII. 65, VIII. 66
- Kāzerun: Dashte-arjan IV. 68
- Firuzābād IV. 51 - Kāzeurn V. 53
- Kāzerun: Dashte-arjan; Zangiān, Chehelcheshme 2200 m VI. 68 - Shirāz: 60 Km. S.E. of Shirāz IV. 57
- Ardekān: Kākān VII. 49, VII. 65: Komehr; Sibkhalaç, Esfān VI. 63, VI. 67. - Firuzābād: Mehkuh VIII. 65 - Kāzerun: Dashte-arjan VII. 64
- Kāzerun: Gāvkoshak VIII-IX. 75: Dashte-arjan X. 67 - Yāsuj VII. 49
- Fasā VII. 65
- Lār III. 57
- Fasā VII. 45 - Ardekān VII. 64; Kākān VIII. 66 - Yāsuj: Sangmang VIII. 66 - Shirāz III. 47, VII. 64, VI. 63, VI. 65, VI. 46: Beyzā V. 52 - Firuzābād VII. 45 - Ābādeh VII. 64: Bavānāt X.

Calliptamus tenuicercis Tarb.

Calliptamus coelesyriensis G.-T.

Sphodromerus luteipes Uv.

Heteracris adspersus Redt.

Heteracris littoralis similis (Br.-W.)

Thisoicetrinus pterostichus F.-W.

Pyrgomorpha conica Ol.

Egnatiooides farsistanicus Uv.

Chrotogonus brachypterus robertsi

Kirby

Paregnatius moritzi farsistanicus Desc.

Paregnatius salavatiani Pop.

48 - Estahbānāt VII. 64 - Parishān (Lake) VI. 66
Shirāz-Estahbānāt VII. 64 - Kāzerun: Dashte-arjan VII. 64 - Ardekān: Kākān 2300 m VII. 64
Ardekān: Silbkhala; Eſīān VIII. 60 V. 69, VI. 63; Kākān VI. 53, VII. 64, VII. 66 - Ābādeh VII. 64 - Shirāz VII. 49: Beyzā VI. 52 - Firuzābād: Farrāshband; Juytorki VI. 66 Ābādeh VII. 64 - Kāzerun X. 48
Fasā VII. 70
Jahrom IX. 45 - Bavānāt X. 48 - Shirāz VII. 45 - Fasā VII. 64, VII. 40
Dārāb VII. 60 - Estahbānāt VII. 64 - Shirāz VII. 64, VII. 45, VII. 66 - Jahrom IX. 45: Banāruyeh VI. 66 - Parishān (Lake) VI. 66 - Firuzābād Farrāshband; Juytorki VI. 66
Kāzerun: Nowdān 1100 m VII. VIII. 75 - Dārāb VII. 50 - Jahrom X. 45, VII. 49 Fasā-Dārāb IX. 45 - Shirāz: Arsanjān V. 48 - Firuzābād VI. VII. 51, V. 52, IV. 53
Dārāb: Izadkhāst VI. 65 - Kāzerun: Fāmur VI. 65, Parishān (lake) VI. 66, Ghāre-shāhpur VI. 73, Bālādeh V. 62, Mamasani V. 62 - Jahrom: Juyome VI. 65 Firuzābad: Farrāshband; Sarmashad VI. 65, VI. 66, VI. 68; Juytorki VI. 66, Pahnāpahn V. 68 - Nojin IV. 68 - Ābādeh: Khunkhorch VII. 49 - Shirāz VI. 63

Fasā VII. 50 - Lar VII. 57

Ābādeh: Khun-khoreh 2800 m VII. 64 (Paratype)

Ardekān VII. 64: Kakan VIII. 65, VII. 64, VIII. 66, VII. 49 (2300 m), Komehr VIII. 49; Sibkhala; Eſīān VI. 63 - Kāzerun: Dashte-arjan IV. 68, VII. 64 - Yāsuj: Sang-mang VIII. 66

Acrida oxycephala Pall.

Acrida exaltata Walk.
Truxalis robusta (Uv.)

Ochrilidia obtusa (Salfi)

Ramburiella bolivari Kuthy.

Ramburiella foveolata Tarb.
Ramburiella turcomana F.-W.
Stenohippus iranicus B.-Bienko
Dociostaurus hauensteini I.Bol.

Dociostaurus maroccanus Thunb.

Dociostaurus tartarus Uv.

Notostaurus albicornis Ev.

Notostaurus anatolicus Kr.

Chorthippus brunneus Thunb.

Chorthippus macrocerus F.-W.
Chorthippus albomarginatus De G.
Aiolopus savignyi Krauss

Dârâb IX. 45 - Fasâ IX. 45 - Shirâz
VI. 46

Firuzâbâd III. 50, III. 49

Fasâ: Miânjangal V. 66 - Firuzâbâd:
Mehkuh VII. 71

Jahrom VII. 49, VI. 62, Firuzâbâd:
Farrâshband; Sarmashad VI. 65

Shirâz VI. 63: Sivand VII. 49 - Âbâdeh: Khunkhoreh VII. 49.

Yâsuj: Sisakht 2350 m VI. 73

Shirâz V. 52, VI. 63

Lâr IV. 56

Fasâ - Jahrom - Dârâb - Lâr - Firuzâbâd - Ardekân - Yâsuj - Estahbânat - Shirâz - Abâdeh - Neyriz - Kâzerun (III - VI)

Firuzâbâd: Sarmashad V. 73, Farrâshband V. 67, Juytorki IV.V. 68, V. 69, Ghir-kârezin IV,V. 1952- Dârâb IV. 52, Izadkhâst IV. 52, IV. 57 - Kâzerun: Dâdin V. 52, IV. 57, Parishân (Lake) V. 62 - Jahrom IV,V. 57: Ab-barik III. 57- Lâr III. 52, IV. 57

Âbâdeh: Khun-khoreh VII. 49 - Neyriz: Khâneh-ket; Khorâmeh VI. 63

Shirâz III. 45 - Ardekân: Kâkân VII. 49 - Kâzerun: Dashte-arjan VII. 48, V. 62 - Fasâ: Miânjangal VI. 73 - Firuzâbâd: Farrâshband; Sarmashad VI. 68

Shirâz VIII. 64: Beyzâ V. 52, Mahârlu (Lake) VII. 60 - Kâzerun: Dashte-arjan VI. 70 - Yâsuj VII. 49, Sisakht VII. 49

Ardekân: Kâkân VII. 49, VIII. 66 - Sibkhâlaj VII. 63 - Abarghu X.48 - Bavânât X. 48 - Kâzerun: Dashte-arjan VI. 68 - Firuzâbâd X. 67, VII. 49 - Yâsuj: Sisakht VIII. 49, Sang-mang VIII. 66

Fasâ VI. 46 - Ardekân: Kâkân VII.49

Shirâz VI. 60

Jahrom VII. 49 - Firuzâbâd IX. 45 -

Aiolopus thalassinus F.

Fasā: Vakilābād VII. 50
Jahrom IX. 45, VII. 49 - Shirāz IX.
45, Arsanjān IX. 46 - Kāzerun:
Dashte-arjan VIII. 48, Mamasani
V. 62, Nowdān VII-VIII. 45 -
Bavānāt X. 48, Ābādeh: Khun-
khoreh VII. 49 - Firuzābād IV. 53
V. 51, X. 67, Sarmashad V. 67 -
Fasā-Dārāb IX. 45 - Abarghu X. 45
Dārāb VI. 50 - Jahrom VII. 49 -
Fasā - Dārāb IX. 45

Hilethera aeolopoides Uv.

Fasā-Dārāb IX. 45
Shirāz VI. 63 - Kāzerun: Dādin V. 53
Kāzerun: Dashte-arjan VI. 70 -
Shirāz VII. 60, Mahārlu (Lake)
VII. 60

Oedaleus senegalensis kr.

Firuzābād: Farrāshban: sarmashad
IV. 68, V. 53, Juytorki V. 68
Ardekān VII. 64, Kākān 2300 m
VII. 64 VIII. 66

Pyrgodera armata F.-W.

Yāsuj: Sisakht 2350 m, VI. 73 -
Ardekān, VII. 64, VI. 67, Sibkha-
laj VI. 67, VI. 63, Kākān VI. 70,
VIII. 49, VI. 67, V. 69 - Shirāz
III. 45 - Dārāb VII. 50, IV. 52 -
Firuzābād V. 52, Sargar V. 52 -
Kāzerun: Dashte-arjan; Zanganeh
2200 m VI. 68 - Yāsuj: Sisakht
VI. 69

Brunerella mirabilis Sauss.

Ardekān: Sibkhala; Esfān VI. 63
Fasā-Dārāb LX. 45 - Abādeh: Khun-
khoreh VII. 49 - Firuzābād: Far-
rashband; Hoseinābād VI. 68

Mioscirtus wagneri Kitt. rogenhoferi

Fasā-Dārāb IX. 45

Sauss.

Oedipoda miniata Pall.

Ardekān X. 67, Kākān VII. 64,
VIII. 66, VII. 49, VI. 63 - Kāzerun
V. 62, VI. 46, Nowdān 1100 m
VII, VIII. 75, Dashte-arjan X. 67 -
Firuzābād: Farrāshband; Sarma-
shad VI. 68, Dehpāgāh X. 67, Sar-
gar V. 57 - Shirāz IX. 45, VI. 46,
VI. 60, VII. 60, Tādun IX. 45,
Arsanjān IX. 46, IX. 47 - Yāsuj:
Sangmang; Ābnahr VIII. 66 -

Oedipoda schochi Sauss.

Jahrom VII. 49 - Dârâb VII. 50 -
Bavânât X. 48.

Acrotylus insubricus Scop.

Ardekân VII. 49, VII. 64: Kâkân
VII. 49, VI. 63, VIII. 66, Komehr
VII. 49, VI. 63; Sibkhalaç 2500 m
VII. 64 - Shirâz: Persepolis VIII.
64, Beyzâ V. 52, Mahârlu (Lake)
VII. 66 - Yâsuj: Sang-mang VIII.
66 - Firuzâbâd: Mehkuh IX. 53,
Midasht VIII. 66
Firuzâbâd: Dehpâgâh X. 67, Far-
râshband; Sarmashad VI. 66, V.
62, VI. 68 - Jahrom VII. 49 - Fasa -
Dârâb X. 45 - Bavânat X. 48 -
Shirâz: VI. 46, Arsanjân VIII. 49,
Mahârlu (Lake) VII. 60 - Fasâ:
Vakilâbâd VII. 50 - Kâzerun:
Nowdân VIII. 75

Pseudoceles persa Sauss. ab *roseipennis*
(Sauss.)

Yâsuj: Sisakht; Sichâni VIII. 49 -
Firuzâbâd VI. 63 - Kâzerun:
Dashte-arjan VII. 64 - Ardekân :
Kâkân VII. 64, VII. 63, Sibkhalaç
VI. 63

Pseudoceles dirshi Pop.

Yâsuj: Sisakht; Gardaneh-bijan VII.
49, Sang-mang VIII. 66 - Ardekân
VII. 64; Kâkân VII. 49, VI. 53,
VIII. 66, Komehr VII. 53, VI. 63,
Sibkhalaç VI. 63 - Abâdeh: Khun-
khoreh 2300 m VII. 49

Sphingonotus coerulipes Uv.

Kâzerun: Nowdân 1100 m VII-VIII.
75 - Dârâb V. 59 - Abâdeh: Ghâ-
derâbâd VII. 64, Bavânât X. 48,
Khun-khoreh 2800 m VII. 64 -
Estahbânât VII. 64 - Shirâz VII.
64 - Ardekân: Kâkân VIII. 66 -
Fasâ VII. 50

Sphingonotus coerulipes kermanicus
Desc.

Shirâz - Estahbânât VII. 64

Sphingonotus eurasius Mistsh.

Shirâz VII. 64, VII. 45 - Ardekân:
Kâkân VIII. 66 - Kâzerun: Dashte-
arjan VII. 64

Sphingontus nebulosus persa Sauss.

Ardekân VII. 64: Kâkân VII. 64,
VI. 53, VIII. 66, VI. 67, Komehr:
Sibkhalaç VII. 64 - Yâsuj VIII.
66, Sisakht: Gardaneh-bijan VII.

Sphingonotus isfaghanicus Predt.

Sphingonotus octofasciatus Serv.

Sphingonotus rubescens Walk.

Sphingonotus satrapes Sauss.

Sphingonotus theodori iranica Mistsh.

Pseudosphinogonotus savignyi Sauss.

Sphingoderus carinatus Sauss.

Sphinogoderus carinatus eshrewi (Rme.)

Asphingoderus uvarovites similis

B.-Bienko

Helioscirtus moseri Sauss.

49- Bavanât X. 48 - Shirâz VI.
46, VII. 49, VII. 64

Ardekân: Kâkân VII. 49, VII. 64 -
Bavanât X. 48

Firuzâbâd VI. 52, Farrâshband V.
67 - Dârâb IV. 52 - Shirâz VII. 45

Shirâz VII. 45, Mahârlu (Lake)
VII. 64, Ghâder-âbâd VII. 64 -
Fasâ V. 65 - Fasa - Dârâb IX. 45 -
Neyriz VII. 64 - Firuzâbâd: Deh-
pâgâh X. 67, Farrâshband; Sâma-
shad VI. 68 - Kâzerun V. 62,
Nowdân VII. 75, Dashte-arjan
X. 67, Dâdin V. 68 - Ardekân:
Kâkân VIII. 66 - Yâsuj: Sisakht
VII. 49, Sang-mang VII. 66

Firuzâbâd: Farrâshband: Sarmashad
VI. 68 - Kâzerun: Jereh; Dashte-
shur VI. 73 - Jahrom VII. 49 -
Dârâb IV. 47, IV. 49 - Shirâz III.
47, III. 45

Kâzerun V. 62, III. 50: Nowdân
1100 m VIII. 75 - Firuzâbâd IX.
45: Farrâshband VI. 68, Juytorki
VI. 66 - Fasâ IX. 45, VI. 46,
IV. 49 - Shirâz VII. 45, VII. 46,
VII. 49, VII. 64, VI. 63 - Abâdeh:
Khun-khoreh 2400 m VII. 64 -
Estahbânât VII. 64 - Dârâb VII.
50 - Neyriz VI, VII. 64, Khâneh-
ket, Khorâmeh VII. 49

Shirâz VII. 64 - Kâzerun V. 53 - Firuz-
âbâd: Farrâshband; Sarmashad VI.
68

Jahrom IX. 45 - Bavanât X. 48 -
Kâzerun: Nowdân 1100 m VIII.
75, Dashte-arjan VII. 64 - Shirâz
VII. 64, IX. 45 - Fasâ VII. 50, VI.
46 - Dârâb VII. 50, IX. 45 - Estah-
bânât VII. 64 - Neyriz: Khorâmeh;
Khâneh-Ket VII. 49

Estahbânât-Shirâz VII. 64

Ardekân VII. 64

Fasâ VII. 65 - Ardekân VII. 64 - Shi-

<i>Tetrix depressa</i> Bris.	râz III. 45, VII. 64 - Shirâz-Estabânât (Rud Ghul) VII. 64
<i>Hedotettix alienus</i> Uv.	Yâsuj: Sang-mang; Âbnahr VIII. 66- Ardekân: Kâkân VIII. 65 - Jahrom III. 57 - Firuzâbâd: Dehpâgâh X. 67
<i>Ergatettix dorsiferus</i> Walk.	Shirâz VI. 60 - Fasâ IV. 49; Jâlian VII. 50 - Jahrom VII. 49
<i>Tridactylus japonicus</i> Haan	Jahrom III. 57 - Kâzerun: V. 53-VI. 68
TETTIGONIOIDEA	Jahrom III. 57 - Kâzerun: Dâdin V. 53 Dashte-arjan; Zangiân VI. 66 - Firuzâbâd; Dehpâgâh X. 67
<i>Lezina mutica</i> Br.-W.	Firuzâbâd: Sargar V. 52 - Lâr: Châleh-khor IV. 51 - Kâzerun: Dashte-arjan; Kotale-pirehzan 2000 m VI. 72, Nowdân; Gâvko- shak VII. 75 - Ardekân: Kâkân VII. 49 - Yâsuj: Sisakht; Tangeh- sorkh VI. 75
<i>Bradyporus latipes</i> Stal	Âbâdeh: Didehgân 1900 m VI. 73 - Ardekân: Komehr; Sibkhalaç VI. 67
<i>Dasycercodes iranicus</i> B.-Bienko	Kâzerun: Dashte-arjan VII. 70
<i>Tettigonia viridissima</i> L.	Shirâz: Beyzâ VI. 52
<i>Tettigonia caudata</i> Charp.	Shirâz VI. 46
<i>Phaneroptera falcata</i> (Poda)	Kâzerun: Nowdân V. 69, VII., VIII. 75, Dashte-arjan VI. 73
<i>Phaneroptera quadripunctata</i> Br.-W.	Kâzerun: Dashte-arjan VI. 73
<i>Platycleis intermedia</i> Serv.	Shirâz: Beyzâ V. 52 - Ardekân: Kâkân VII. 49 - Kâzerun: Dâdin V. 68
<i>Platycleis intermedia</i> f. <i>mesopo-</i> <i>tamica</i> Ramme	Ardekân: Komehr; Sibkhalaç, Eşfâh VI. 63 - Yâsuj: Sisakht VII. 49 - Kâzerun: Nowdân VII. 75
<i>Platycleis affinis</i> Fieb.	Kâzerun: Bâlâdeh V. 62, Mamasani V. 62, Dashte-arjan V. 68, Zanga- neh 2200 m V. 68 - Firuzâbâd: Farrâshband; Sarmashad VI. 68
<i>Metrioptera escaleria iranica</i> Ramme	Shirâz VII. 49, Beyzâ V. 52 - Neyriz: Khorâmeh; Khâneh-ket VII. 49 - Ardekân: Komehr VIII. 49 -

<i>Phytodrymadusa siazovi</i> (Uv.)	Firuzābād IV. 51 - Jahrom VII. 49 Yāsuj VII. 49 - Shirāz: Beyzā V, VI. 52, Ardekān: Kākān VII. 50
<i>Scotodrymadusa gediose</i> B.-Bienko	Yāsuj: Sang-mang VIII. 66
<i>Tessellana tessellana</i> (Charp.)	Yāsuj VII. 49
<i>Decticus albifrons</i> F.	Firuzābād: Sargar VI. 57
<i>Medecticus assimilis</i> Fieb.	Ardekān X. 67 - Lār III. 52 - Firuzābād: Sarmashad; Juytorki VI. 66
<i>Saga ephippigera</i> F.-W.	Kāzerun: Mamasani V. 51 - Shirāz: Beyzā V. 52
GRYLLOIDEA	
<i>Gryllus burdigalensis</i> Latr.	Firuzābād: Dehram IV. 51 - Estahbānāt VII. 70 - Neyriz: Bakhtegān (Lake) V. 70
<i>Gryllus domesticus</i> L.	Shirāz V. 46 - Firuzābād: Farrāshband V. 67 - Dārāb IV. 66 - Yāsuj: Sisakht 2350 m VI. 73
<i>Gryllus desertus</i> Pall.	Shirāz VI. 52: Bezyā V. 51 - Firuzābād IV. 51, VI. 63: Åbsaku IV. 51 - Ardekān: Kākān V. 50, Komehr: Sibkhala j VI. 63 - Fasā: Sarvestān VI. 73 - Jahrom: Abbārik III. 67
<i>Gryllus bimaculatus</i> De, G.	Shirāz X. 46, VI. 52 - Ardekān X. 67 - Kāzerun: Mamasani IX. 71
<i>Gryllodes brevicarda</i> Boliv.	Kāzerun: Dashte-arjan; Miānkotal 1900 m VI. 72
<i>Pheronemobius heydeni cincolor</i> (Walk.)	Dārāb V. 59
<i>Pheronemobius gracilis</i> (J. & B.)	Kāzerun: Dālaki III. 73
<i>Gryllotalpa gryllotalpa</i> L.	Firuzābād: VI. 51; Åbsaku IV. 51 - Kāzerun III. 50; Mamasani IX. 71, V. 51-
MANTOPTERA	
<i>Bolivaria brachyptera</i> Pall.	Yāsuj: Sang-mang VIII. 66
<i>Rivetina excellens</i> Beier	Fasā VII. 65
<i>Empusa uvarovi</i> Chop.	Kāzerun: Dādin V. 68 - Yāsuj: Sisakht VI. 73
<i>Blepharopsis mendica</i> Fab.	Jahrom (42 Km. W.N.W.) 1300 m III. 73
BLATOPTERA	
<i>Periplaneta americana</i> (L.)	Dārāb VII. 47
<i>Shelfordella tartara</i> Sauss.	Firuzābād V. 51 - Ardekān: Kākān VII. 49

Symploce zarudniana D.R.
Blatella germanica L.

Polyphaga aegyptiaca L.

DERMAPTERA

Anechura asiatica Germ.

Forficula lucasi Dohrn.

Anisolabis annulipes (Luc.)

Shirâz V. 46
Shirâz VII. 63 - Firuzâbâd; Dehram IV. 51
Shirâz VI. 46 - Firuzâbâd: Dehram IV. 51; Midasht IV. 51

Kâzerun: Mamasani IX. 71

Firuzâbâd IV. 51

Shirâz: Arsanjân IX. 49

Part 3.

LIST OF CURCULIONIDAE FROM PROVINCE
OF FARS (1)

By : H. BORUMAND*

<i>Apion macrorrhynchum</i> Eppel.	Shirâz V. 73
<i>Apion curvirostre</i> Gyll.	Yâsuj VI. 70
<i>Aplesilus ruginodis</i> Reitt.	Firuzâbâd IV. 51
<i>Ammocleonus ganglbaueri</i> Fst.	Shirâz; Mahârlu lake IV. 65
<i>Ammocleonus hieroglyphicus</i> Ol.	Firuzâbâd: Farrâshband V. 67
<i>Ammocleonus aschabadensis</i> Fst.	Ardakân: Kâkân VI. 67
<i>Baris granulipennis</i> Tourn.	Abâdeh: Abarghu VIII. 67 (Paratype), XII. 68 Yâsuj VI. 70
<i>Baris timida</i> Rossi	Kâzerun: Nowdân IV. 75
<i>Balaninus</i> sp.	Shirâz: Arsanjân X. 47
<i>Bothynoderes obliquefasciatus</i> Germ.	Firuzâbâd: Farrâshband VI. 66, VI. 72
<i>Calandra picea</i> Pall.	Yâsuj VI. 70
<i>Camtorrhinus</i> sp.	Kâzerun: Dâdin V. 68
<i>Coniocleonus nigrosuturatus</i> Goeze	Firuzâbâd: Âbsaku IV. 51 - Kâzerun V. 53, V. 69; Dâdin V. 68
<i>Coniocleonus excoriatus</i> Gyll.	Fasâ: Miânjangal III. 65-Firuzâbâd; Sargar V. 51
<i>Coniocleonus mesopotamicus</i> Ol.	Firuzâbâd IV, V. 51 - Abâdeh: Abarghu V. 46
<i>Chromosomus schach</i> Fst.	Firuzâbâd IV, V. 51 - Abâdeh: Abarghu V. 46
<i>Chromosomus fischeri</i> Fahrs.	Kâzerun V. 69: Dashte-arjan VI. 68
<i>Conorrhynchus lacerta</i> Chevr.	Kâzerun: Mamasani VII. 69, VII. 70, VII. 71
<i>Hydronomus sinuatocollis</i> Fst.	Shirâz : Beyzâ V. 52 - Kâzerun : Dashte-arjan V. 74
<i>Hypera postica</i> Gyll.	Shirâz: Beyzâ V. 52, V. 74
<i>Larinus latus</i> Hbst.	Shirâz V. 74 - Kâzerun: Hoseynâbâd VI. 68
<i>Larinus aeruginosus</i> Hochh.	

(*) Plant pests & Diseases Research Institute, P.O. Box 3178 Tehran - IRAN

- Larinus aeruginosus* var.? Kâzerun: Dashte-arjan IV. 71
Larinus centaureae Ol. Shirâz V, VI. 46, V. 74 - Firuzâbâd:
Larinus onopordi F. Farrâshband; Sarmashhad V. 68
Larinus onopordi var. *maculatus* Fahrs. Kâzerun; Dashte-arjan IV. 71
Larinus liliputanus Fst. Yâsuj VI. 70
Larinus syriacus Gyll. Shirâz V. 74
Leptomias sp. Shirâz V. 74
Meneclonus signaticollis Gyll. Shirâz V. 73
Notodermus saulcyi Reiche Shirâz; Beyzâ V. 53 - Ardakân;
Stephanophorus mimosae Ol. Kâkân VI. 67 - Firuzâbâd IV. 51
Sitona humeralis Steph. Shirâz V. 75
Sitona callosa Gyll. Firuzâbâd: Farrâshband V, VI. 68,
Tennorhinus elongatus Gebl. V. 67
Shirâz; Fathâbâd VII. 46
Shirâz: Kushkak VI. 73 - Dârâb V. 59
Shirâz VII. 65, IV. 71: Beyzâ V. 52,
Sarvestân III. 65, Arsanjân X.47 -
Firuzâbâd; Sargar V. 51,

Part 4.

LIST OF SCARABAEIDAE FROM PROVINCE
OF FARS (I)

By: M. ZAIRI (*)

<i>Tanyproctus mirzayani</i> Petr.	Firuzābād IV. 51 (Paratype)
<i>Lasiexis persicola</i> Rtr.	Shirāz: Beyzā, Javarg VII. 67
<i>Cyphonoxia praestabilis</i> Rtr.	Fārs V. 69
<i>Amphimallus caucasicus</i> Gyll.	Firuzābād V. 51
<i>Polyphylla persica</i> Brske	Dārāb IV. 65
<i>Polyphylla olivieri</i> (Cast.)	Kāzerun: Gāvkoshak VI. 75
<i>Stalagmopygus albella</i> Pall.	Fasā IV. 71
<i>Celidotella mathiessenii</i> Rtr.	Dehbid VI. 67
<i>Oxythyrea cinctella</i> (Schaum.)	Shirāz: Beyzā V. 52, Ghāderābād VI. 69 Kāzerun: Dashte-arjan VI. 68-Firuzābad V. 51
<i>Potosia hungarica ignisternum</i> Rtr.	Shirāz: Beyzā V, VI. 52
<i>Potosia sibirica</i> Gebl.	Shirāz: Beyzā V. 52
<i>Potosia sibirica</i> ab. <i>albilatera</i> Fald.	Ardekān: Kākān VI. 67, Sibkhala - VI. 67-Yāsuj VI. 70-Dehbid VI. 67 Yāsuj VI. 70
<i>Potosia funebris</i> Gory	Firuzābād IV. 51-Kāzerun: Dashte- arjan VI. 73
<i>Potosia cuprea</i> ab. <i>diadenata</i> Rtr.	Kāzerun: Dashte-arjan VI. 73 Shirāz: Beyzā VI. 52-Kāzerun V. 53-Firuzābād V. 51
<i>Anisoplia leucaspis</i> Lap.	Kāzerun V. 53
<i>Pharaonus varicoloreus</i> Burm.	Shirāz II. 50
<i>Anomala splendida</i> Mén.	Kāzerun V. 53-Dārāb IV. 66-Firuzābād IV. 53-Yāsuj III. 50, V. 53, IX. 75
<i>Phaeadoretus iranicus</i> Mcht.	Kāzerun V. 70
<i>Phaeadoretus schirasensis</i> Petr.	Ardekān: Kākān VI. 53
<i>Adoretus discolor</i> Fald.	Shirāz: Beyzā; Javarg VII. 67
<i>Adoretus irakanus</i> Ohs.	Kāzerun: Dashte-arjan VI. 73-yāsuj: Sisakht VI. 73
<i>Caccobius histeroides</i> Mén.	

(*) Plant Pests & Diseases Research Institute, P.O. Box 3178, Tehran-IRAN

- Oniticellus fulvus* Goeze
Oniticellus pallipes F.
Sisyphus schaefferi boschniaki Fisch.
Scarabaeus babori Balth.

Scarabaeus sacer L.

Onitis humerosus Pall.

Gymnopleurus mopsus Pall.

Gymnopleurus coriarius Hb.

Bubas bubalus Oliv.
Copris lunaris L.
Chironitis haroldi Ball.
Onthophagus gibbosus Scrib.
Onthophagus gibbosus ab. *ochripennis*
 Orb.
Onthophagus orbignyi Ols.

Onthophagus speculifer Sol.
Onthophagus ruficapillus Brullé.

Onthophagus aleppensis Rtdb.
Onthophagus lucidius Sturm.

Onthophagus mostafa-sairi Petr.

Onthophagus fissicornis Stev.
Onthophagus flagrans Rtr.
Onthophagus amynthus aspadanaensis
 Petr.
Onthophagus aramentarius Mén.
Aphodius pruinosus Petr.
Aphodius satellitus (Herbst.)
Aphodius hydrochoeris (F.)
Aphodius wollastoni Har.
Aphodius lugens Creutz

Aphodius ghardimaouensis Balth.
Aphodius lineimargo Rtr.

Aphodius melanostictus Schm.
- Kâzerun: Dashte-arjan V. 70, V. 71
 Fasâ: Sarvestân VI. 73
 Yâsuj: Sisakht VI. 73
 Shirâz: Aliâbâd-kamin V. 70-Fasâ:
 Miânjangal VI. 71
 Kâzerun: Dashte-arjan VI. 73-Yâsuj:
 Sisakht VI. 73 - Firuzâbâd IV. 52
 Kâzerun: Dashte-arjan IV. 71-
 Shirâz IV. 49
 Kâzerun: Dashte-arjan VI. 70, VII.
 70
 Shirâz VII. 49-Kâzerun: Dashte-
 arjan 3. 65-Yâsuj: Sisakht VI. 73-
 Fasâ VI. 51
 Firuzâbâd V. 51
 Shirâz: Beyzâ VI. 63
 Yâsuj: Sisakht VI. 73
 Yâsuj: Sisakht VI. 73

 Fasâ: Sarvestân VI. 73
 Shirâz: Khunkhoreh-Ghâderâbâd
 VI. 70
 Kâzerun: Dashte-arjan V. 70
 Kâzerun: Dashte-arjan IV. 49-Fasâ:
 Sarvestân VI. 73
 Yâsuj: Sisakht VI. 73
 Shirâz V. 70-Kâzerun: Dashte-arjan-
 V. 70
 Kâzerun: Dashte-arjan VI. 70 (Para-
 typus)
 Kâzerun: Dashte-arjan V. 70
 Kâzerun: Dashte-arjan V. 70
 Yâsuj: Sisakht VI. 73-Kâzerun:
 Dashte-arjan III. 65, III. 75
 Kâzerun: Dashte-arjan V. 71
 Dehbîd V. 72
 Kâzerun: Dashte-arjan V. 70
 Shirâz: Kushkak III. 73
 Fasâ: Sarvestân VI. 73
 Fasâ: Sarvestân VI. 73-Dehbîd V. 72-
 Ardekân VI. 70
 Kâzerun V. 70
 Kâzerun: Dashte-arjan VI. 68, V. 50,
 V. 71-Dârâb IX. 73
 Kâzerun: Dashte-arjan V. 70

- Aphodius persicus* Petr. Shirâz V. 70
Aphodius trucidatus ab. *suturifer* Rtr. Kâzerun: Dashte-arjan V. 70
Aphodius prodromus (Brahm) Kâzerun: Dashte-arjan V. 70
Aphodius punctipennis Er. Shirâz V. 70
Pleurophorus caesus (Crtz.) Kâzerun VI. 60
Oryctes illigeri Minck. Shirâz V. 66
Oryctes nasicornis schiraticus Petr. Shirâz V. 66-Fasâ: Miânjangal IV.
 a Endr. 71- Kâzerun: Dashte-arjan IV. 70
 (Paratypus)
Oryctes hindenburgi Minck. Fasâ: Miânjangal IV. 71
Oryctes elegans Prell. Fasâ VII. 65, VI. 66, V. 67-Firuz-
 âbâd IV. 53 - Jahrom V. 66
Oryctes agamemnon mathiesseni Rtr. Jahrom V. 49, V. 66-Fasâ VII. 65
Phyllognathus excavatus F. Dârâb VI. 67-Fasâ: Mianjangal VI.
 62
Pentodon bispinifrons Rtr. Ardekân: Kâkân VI. 49, VIII. 66-
 Fasâ: VI. 67, Mianjangal XI. 71-
 Dârâb V. 73 Neyriz: Bakhtegân
 V. 71-Kâzerun:- Dashte-arjan V.
 71
Pentodon persicus Jak. Kâzerun V. 69-Firuzâbâd: Farrâsh-
 band; Sarmashhad V. 69
Propomacrus bimucronatus P. Kâzerun: Nowdân VII. 75, Gâv-
 koshak - VII-VIII-IX. 75
Amphicoma arctos ab. *aurantiaca* Rtr. Kâzerun: Dashte-arjan VI. 68-Shi-
 râz: Beyzâ V. 52
Amphicoma arctos ab. *armeniaca* Rtr. Abâdeh: Eghlid VI. 69
Amphicoma nitidicollis Rche. Kâzerun V. 53
Amphicoma pulchra Rtr. Kâzerun: Dashte-arjan VI. 68
Amphicoma genei Trqui. Kâzerun V. 53
Glaphyrus superbus Champ. Shirâz: Beyzâ IV. 51
Hybosorus arator *palaearcticus* Endr. Shirâz: -Saadatâbâd V. 69-Ardekân:
 Kâkân VII. 49.

Part 5.

LIST OF BUPRESTIDAE (COLEOPTERA) FROM PROVINCE
OF FARS (1)

By: Gh. RAJABI (*)

<i>Acmaeoderella safavi</i> Desc.	Shirâz V. 66
<i>Agrilus viridicoerulans</i> Mars. <i>esfandiari-</i> <i>nus</i> Obenb.	Fârs IV, V. 48
<i>Anthaxia farinigera</i> Kraatz.	Firuzâbâd V. 51 - Kâzerun V. 53
<i>Anthaxia kalalae</i> Obenb.	Yâsuj VI. 70
<i>Stigmatophorella bagdanensis</i> freyt Obenb.	Fasâ: Miân-Jangal III. 65, VI. 66 - Kâzerun V. 53 - Firuzâbâd V. 51- Dârâb IX. 73 - Ardekân: Kâkân VI. 53:
<i>Stigmatophorella escalerae</i> Obenb.	Yâsuj: Sisakht VI. 73 - Shirâz; Beyzâ VI. 67 - Kâzerun: Dashte- arjan IV. 71 - Ardekân: Kâkân VII. 49
<i>Meliboeus robustus</i> Kuster ab. <i>obscurus</i> Zhich.	Shirâz V. 37
<i>Dicerca fritillum</i> Men.	Shirâz V. 37
<i>Julodella esfandiarii</i> Obenb.	Kâzerun V. 43, V. 52 - Shirâz: Beyzâ V. 52 - Firuzâbâd V. 56
<i>Julodella schochi</i> Thery	Shirâz VII. 49, IX. 49
<i>Julodis deserticoloides</i> Thery	Firuzâbâd: Farrâshband; Sarma- shad IV. 68
<i>Julodis euphratica</i> Cast & Gory	Âbâdeh VI. 69 - Fasâ VI. 46 - Firuz- âbâd V. 51 - Shirâz VII. 61: Ar- sanjân IV. 49, Beyzâ VI. 52
<i>Julodis euphratica proxima</i> Gory	Kâzerun V. 53 - Shirâz: Beyzâ V. 52 - Firuzâbâd IV. 51
<i>Julodis laevicostata</i> Gory	Ardekân VI. 67: Kâkân VII. 49, VI. 53, VIII. 66, Komehr: Sibkhalaç VI. 63 - Shirâz VII. 53, Beyzâ IV. 73, V. 52, V. 57, VI. 62 - Fasâ: Miân-jangal V. 65 - Kâzerun:

(*) Plant Pests & Diseases Research Institute, P.O. Box 3177, Tehran - IRAN.

- Melanophila cuspidata* Klug. Dashite-arjan VI. 68
Capnodis anthracina Fischer Ardekân: Kâkân VII. 49
Capnodis carbonaria hennigi Mann. Yâsuj: Sisakht; Gardaneh-bijan VIII
 49, VI. 69, VI. 73, Yâsuj VI. 70
Capnodis cariosa hauseri Obenb. Kâzerun: Dashte-arjan VI. 68 -
Capnodis cariosa iranica Bogatchev Fasâ VII. 65, Miân-jangal VI. 66 -
Capnodis miliaris Klug. Ardekân VI. 67, Kâkân VI. 53,
 Ardekân VI. 67, Kâkân VI. 53,
 Komehr: Sib-khalaj VI. 63 - Shi-
 râz; Beyzâ IV, VI. 52 - Dârâb
 IX. 73 - Firuzâbâd: Farrâshband;
 Sarmashad IV. 66
Capnodis tenebricosa Ol. Fasâ VII. 65 - Firuzâbâd: Farrâsh-
 band; Sarmashad V. 69
Capnodis tenebrionis L. Fasâ: Miân-jangal VI. 66, VII. 49
Cyphosoma turcomanica Kr. Shirâz V. 53, V. 50, V. 51, VII. 49 -
Cyphosoma turcomanica salsolae Obenb. Firuzâbâd IV. 51-Ardekân: Kâkân
Perotis lugubris F. VI. 53 - Fasâ : Miânjangal VI. 64
Perotis longicollis Abeille Shirâz V. 53 - Ardekân VI. 67,
Perotis cuprata var. *capnodiformis* Rtt. Kâkân VI. 53
Psiloptera (s. str.) *argentata* Menn Ardekân: Kâkân VII. 49
Sphenoptera (*Deudera*) *acuminata* B.Jak. Firuzâbâd IV. 53
Sphenoptera (s.str.) *aiax* Kerr. var? Neyriz: Khorâmeh; Halilâbâd VII. 49
 Ardekân: Kâkân VI. 67
 Kâzerun: Dashte-arjan VI. 68
 Ardekân: Kâkân VII. 49, Komehr:
 Sibkhala VI. 63 - Firuzâbâd V. 51
 Dârâb IX. 45 - Kâzerun IV. 51
 Shirâz XI. 47
 Shirâz XI. 43
 Shirâz XI. 47
 Yâsuj: Sisakht VII. 49
 Shirâz: Beyzâ V. 52 - Kâzerun:
 Dashte-arjan VI. 68
 Kâzerun. Dashte-arjan III. 65, Pole
 moshir V. 67
 Shirâz XI. 47
 Shirâz V. 46
Sphenoptera (s.str.) *leonhardi* Obenb. *Sphenoptera* (*Tropeopeltis*) *anthaxoides*
 Rtt. Ardekân VI. 46